

**NANOSCIENCE AND ENGINEERING RESEARCH CENTER (NSEC)**



**Center for High-rate  
Nanomanufacturing**

**2009-2009 ANNUAL REPORT (Year 5)**

**NSF CENTER FOR HIGH-RATE NANOMANUFACTURING**



Northeastern University

University of Massachusetts Lowell

University of New Hampshire

Michigan State University

**NSF Award# 0832785**

1. Aceros, J.C., McGruer, N.E., and Adams, G.G., "MEMS Microhotplates for Reliability Testing of Thin Films and Nanowires," *Journal of Vacuum Science and Technology B*, Vol. 26, pp. 918-926 (2008). [https://www.researchgate.net/publication/249513465\\_Microelectromechanical\\_system\\_microhotplates\\_for\\_reliability\\_testing\\_of\\_thin\\_films\\_and\\_nanowires](https://www.researchgate.net/publication/249513465_Microelectromechanical_system_microhotplates_for_reliability_testing_of_thin_films_and_nanowires)
2. Ahn, K., Ellenbecker, M.J., Woskie, S.R., DiBerardinis, L.J., "A Review of Quantitative Experimental Studies on Factors Affecting Laboratory Fume Hood Performance and Its Related Factors," *J. Occup. Environ. Hyg.* 5(11):735-54 (2008). <http://www.tandfonline.com/doi/abs/10.1080/15459620802399989>
3. Alpert, C.L., "Joining Forces for Public Engagement", *Materials Today*, 11 (5), 6 (2008). <http://www.sciencedirect.com/science/article/pii/S1369702108700695>
4. Bello, D., Hart, A.J., Ahn, K., Hallock, M., Yamamoto, N., Garcia, E., Ellenbecker, M.J., Wardle, B.L., "Exposure to Nanoscale Particles during CVD Growth and Subsequent Handling of Vertically-aligned Carbon Nanotube Films," *Carbon* 46: 974-981 (2008). [http://mechanosynthesis.mit.edu/journals/021\\_dbello\\_08\\_particles.pdf](http://mechanosynthesis.mit.edu/journals/021_dbello_08_particles.pdf)
5. Bello, D., Hsieh, S.F., Schmidt, D.F., Rogers, E.J., "Nanomaterials properties vs. biological oxidative damage: Implications for toxicity screening and exposure assessment," *Nanotoxicology*, (2009) <http://www.tandfonline.com/doi/abs/10.1080/17435390902989270>
6. Bello, D., Hsieh, S.F., Schmidt, D., Rogers, E.J. "Nanomaterials physico-chemical properties vs. biological oxidative damage: implications for toxicity screening and exposure assessment." *Nanotox*, under review. (2009).
7. Bello, D., Wardle, B.L., Ahn, K., Yamamoto, N., Garcia, E., deVilloria, R.G., Hart, A.J., Ellenbecker, M.J., Hallock, M. "Exposure to nanoscale particles and fibers during machining of hybrid advanced composites containing carbon nanotubes." *J Nanoparticle Research*, 11(1) 231; (2009). <http://link.springer.com/article/10.1007/s11051-008-9499-4>
8. Bello, D., Hart, A.J., Ahn, K., Hallock, M., Yamamoto, N., Garcia, E., Ellenbecker, M.J., Wardle, B.L., "Particle exposure levels during CVD growth and subsequent handling of vertically-aligned carbon nanotube films." *Carbon*, 46, 974-81; (2008).
9. Berber, S., Tománek, D. "Modeling the destruction of realistic nanotube emitters: Relative role of charging and temperature", *Phys. Rev. B* 77, 073407 (2008). <http://journals.aps.org/prb/abstract/10.1103/PhysRevB.77.073407>
10. Briggs, J. B.; Jazdyk, M. D.; Miller, G. P. "1,2-Dimethyl-4,5-diphenylbenzene determined on a Bruker SMART X2S benchtop crystallographic system," submitted to *Acta Cryst. E*. <http://scripts.iucr.org/cgi-bin/paper?f12245>
11. Bubnis, G.J., Mayne, H.R., "A modeling study of various neat and functionalized fullerenes in the gas phase and on Au(111)," *Proc. International Symposium Gas Kinetics* 20, (2008), 129. <http://pubs.acs.org/doi/full/10.1021/jp104104b?src=recsys>
12. Bubnis, G.J., Mayne, H.R., "Modeling Hydrogen Bond Driven Molecular Pattern Formation on Au(111)," *Book of Abstracts, Northeastern Regional Meeting of the American Chemical Society*, (2008), p. 307.

13. Bubnis, G. J., Cleary, S. M., Mayne, H. R., "Self-Assembly and Structural Behavior of a Model Rigid C60-terminated Thiolate on Au(111)," *Chem. Phys. Letters*, (2009), 470, 289-294.  
<http://www.sciencedirect.com/science/article/pii/S0009261409001110>
14. Bubnis, G. J., Mayne, H.R. "Structures of binary C60/C84 fullerene clusters," *J. Phys Chem. A*, accepted. (2009). <http://www.ncbi.nlm.nih.gov/pubmed/19371120>
15. Burgess, W.A., Ellenbecker, M.J., Treitman, R.D., "Ventilation for Control of the Work Environment," Wiley Interscience, 2d ed., (2004)
16. Casse, B. D. F., Banyal, R. K., Lu, W. T., Huang, Y. J., Selvarasah, S., Dokmeci, M., Sridhar, S., "Nanoengineering of a Negative-Index Binary-Staircase Lens for the Optics Regime", *Applied Physics Letters*, vol. 92, 243122, (2008).  
Nanoengineering of a Negative-Index Binary-Staircase Lens for the Optics Regime", *Applied Physics Letters*, vol. 92, 243122, (2008).  
<http://scitation.aip.org/content/aip/journal/apl/92/24/10.1063/1.2942383>
17. Chandekar, A., Alabran, M., Sengupta, S., Lee, J., Mead, J., Barry, C., Whitten, J., Somu, S., Busnaina, A., "Fabrication of stamps for microcontact printing by injection molding", *Microelectronic Engineering*, 85(1), 187-194 (2008)  
<http://eprints.internano.org/446/>
18. Chandekar, A., Sengupta, S.K., and Whitten, J.E., "Thermal Stability Studies of Thiol and Silane Monolayers", *Appl. Surf. Sci.*, submitted.  
<http://www.sciencedirect.com/science/article/pii/S0169433209016092>
19. Chang, K., Berber, S., Tománek, D., "Transforming carbon nanotubes by silylation: An ab initio study", *Phys. Rev. Lett.* 100, 236102 (2008).  
<http://journals.aps.org/prl/abstract/10.1103/PhysRevLett.100.236102>
20. Chen, C.-L., Lopez, E., Jung, Y.-J., Muftu, S., Selvarasah, S., Dokmeci, M. R., "Mechanical and Electrical Evaluation of Parylene-C Encapsulated Carbon Nanotube Networks on a Flexible Substrate", *Applied Physics Letters*, 93, 093109, (2008).  
<http://scitation.aip.org/content/aip/journal/apl/93/9/10.1063/1.2976633>
21. Chen, L., McGruer, N.E., Adams, G.G. Du, Y., "Separation Modes in Microcontacts Identified by the Rate-Dependence of the Pull-Off Force," *Applied Physics Letters*, Vol. 93, 053503 (2008).  
<http://scitation.aip.org/content/aip/journal/apl/93/5/10.1063/1.2967855>
22. Clarizia, L.J.A., Sok, D., Wei, M., Mead, J., Barry, C., McDonald, M.J. "Antibody Orientation Enhanced By Selective Polymer-Protein Noncovalent Interactions," *Anal Bioanal Chem* 393:1531-1538(2009)  
<http://link.springer.com/article/10.1007/s00216-008-2567-x>
23. Diaconescu, B.; Yang, T.; Berber, S.; Jazdyk, M.; Miller, G. P.; Tománek, D.; Pohl, K., "Molecular self-assembly of functionalized fullerenes on a metal surface," *Phys. Rev. Lett.*, (2009), 102, 056102-1 - 056102-4.  
<http://www.pa.msu.edu/cmp/csc/eprint/DT199.pdf>
24. Du, Y., Adams, G.G., McGruer, N.E., Etsion, I., "A Parameter Study of Separation Modes in Adhering Microcontacts," *Journal of Applied Physics*, Vol. 103, 044902 (2008).
25. Farris, L.R., Wang, W., Clarizia, L.J.A., Wang, X., McDonald, M.J. "Influenza A Nucleoprotein Detection by a Novel Immuno-Interferometric Sensor,"

- Biophysical Journal, 96:634a-635a (2009)  
<https://www.researchgate.net/publication/234363138> Influenza A Nucleoprotein Detection by a Novel Immuno-Interferometric Sensor
26. Gultepe, E., Nagesha, D., Casse, B. D. F., Selvarasah, S., Busnaina, A. Sridhar, S., "Large scale 3D vertical assembly of single-wall carbon nanotubes at ambient temperatures," *Nanotechnology*, 19 (45), p.455309 (5pp), Nov 2008, doi:10.1088/0957-4484/19/45/455309.
  27. Hahm, M. G., Kwon, Y., Lee, E., Ahn, C. W. Jung, Y.J, "Diameter Selective Growth of Vertically aligned Single Wall Carbon Nanotubes and Study on Their Growth Mechanism", *Journal of Physical Chemistry C*, 112, 17143 (2008) <http://pubs.acs.org/doi/abs/10.1021/jp8073877>
  28. Healy, M., Dahlben, L.J., Isaacs, J.A., "Environmental Assessment of Single Wall Carbon Nanotube Processes", *Journal of Industrial Ecology, Special Issue in Nanotechnology*, Vol. 12, Issue 3, 394 (2008).
  29. Isaacs, J. A., Tanwani, A., Healy, M., Dahlben, L.J., "Economic Assessment of Single-Walled Carbon Nanotube Processes", *Journal of Nanoparticle Research*, Submitted September 5, 2008. (Accepted with revision April 2009).
  30. Jaber-Ansari, L., Hahm, M.G., Somu, S., Echegoyen, Y., Busnaina, A., Jung, Y.J., "Mechanism of Very Large Scale Assembly of SWNTs in Template Guided Fluidic Assembly Process", *Journal of the American Chemical Society*, 131, 804 (2009) <http://pubs.acs.org/doi/abs/10.1021/ja8076523>
  31. Jinno, S., Moeller, H.-C., Chen, C.-L., Rajalingam, B., Chung, B. G., Dokmeci, M. R., Khademhosseini, A., "Microfabricated Multilayer Parylene-C Stencils for the Generation of Patterned Dynamic Co-Cultures", *Journal of Biomedical Materials Research A*, 86A, 278 (2008). <http://onlinelibrary.wiley.com/doi/10.1002/jbm.a.32030/abstract>
  32. Kang, D., Kim, D., Yoon, S., Barry, C. M. F. and Mead, J. L., "Properties and Dispersion of Epdm/Modified Organoclay Nanocomposites", *Macromolecule Materials and Engineering*, Volume 292, Issue 3, p329-338, (2006).
  33. Kaur, I., Jia, W., Kopreski, R. P., Selvarasah, S., Dokmeci, M. R., Pramanik, C., McGruer, N. E., Miller, G. P., "Substituent Effects in Pentacenes: Gaining Control over HOMO-LUMO Gaps and Photooxidative Resistances", *J. Am. Chem. Soc.*, 130, 16274 (2008). <http://pubs.acs.org/doi/abs/10.1021/ja804515y>
  34. Kaur, I.; Prusevich, P.; Miller, G. P., "o-Alkylphenyl Substituent Effects in Acenes: Redirecting 1 O2 Cycloadditions on Pentacene and Heptacene Derivatives," submitted to *Synth. Metals*.
  35. Kaur, I.; Stein, N.; Kopreski, R. P.; Miller, G. P., "Exploiting substituent effects for the synthesis of a photooxidatively resistant heptacene derivative," *J. Amer. Chem. Soc.*, (2009), 131, 3424–3425. <http://pubs.acs.org/doi/abs/10.1021/ja808881x>
  36. Kaur, I., Jia, W., Kopreski, R., Selvarasah, S., Dokmeci, M. R., McGruer, N., Miller, G. P., "Substituent Effects in Pentacenes: Gaining Control Over HOMO-LUMO Gaps and Photooxidative Resistances," *J. Amer. Chem. Soc.*, (2008), 130, 16274–16286. <http://pubs.acs.org/doi/abs/10.1021/ja804515y?src=recsys>
  37. Kim, D., Lee, J.S., Barry, C., Mead, J., "Evaluation and Prediction of the Effects of Melt Processing Conditions On The Degree of Mixing in Alumina /

- Poly(Ethylene Terephthalate) Nanocomposites", *Journal of Applied Polymer Science*, 109, 2924–2934 (2008)  
<http://onlinelibrary.wiley.com/doi/10.1002/app.28394/abstract>
38. Kim, E., Weck, P.F., Berber, S., Tománek, D., "Mechanism of fullerene hydrogenation by polyamines: Ab initio density functional calculations," *I B 78*, 113404 (2008). <http://journals.aps.org/prb/abstract/10.1103/PhysRevB.78.113404>
  39. Kim, T.-G., Yoo, Y.-S., Ahn, J., Lee, J.-M., Choi, J.-S., Busnaina, A. A., Park, J.-G., "Adhesion force change on multilayer EUVL mask due to laser induced plasma shock wave," *Journal of Microelectronic Engineering*, DOI: 10.1016/j.mee.2008.10.016, online: (5-NOV-2008).
  40. Kim, T.-G., Yoo, Y.-S., Kim, T.-G., Ahn, J., Lee, J.-M., Choi, J.-S., Busnaina, A. A., Park, J.- G., "Damage Free Particle Removal from Extreme Ultraviolet Lithography Mask Layers by High Energy Laser Shock Wave Cleaning," *Japanese Journal of Applied Physics*, Vol. 47, No. 6, 2008, pp. 4886–4889.
  41. Liu, J.-F. Miller, G. P., "Field–assisted nanopatterning of metals, metal oxides and metal salts," *Nanotechnology*, 2009, 20, 055303-1 – 055303-6.
  42. Massawe, E., Geiser, K., Ellenbecker, M. J., Marshall, J., "Technical Performance Evaluation of Potential Biobased Floor Strippers," *J. Cleaner Prod.* 16(1): 12- 21 <http://dx.doi.org/10.1016/j.jclepro.2006.05.014> (2008).
  43. McKernan, J. L., Ellenbecker, M. J., "Ventilation Equations for Improved Exothermic Process Control," *Annals Occ. Hyg.* doi: 10.1093/annhyg/mem016 (2007).
  44. McKernan, J. L., Ellenbecker, M. J., Holcroft, C., "Evaluation of a Proposed Velocity Equation for Exothermic Process Control," *Annals Occ. Hyg.* doi: 10.1093/annhyg/mem006 (2007).  
<http://www.ncbi.nlm.nih.gov/pubmed/17519275>
  45. McKernan, J. L., Ellenbecker, M. J., Holcroft, C., Petersen, M. R., "Evaluation of a Proposed Area Equation for Improved Exothermic Process Control," *Annals Occ. Hyg.* doi: 10.1093/annhyg/mem053 (2007).  
<http://connection.ebscohost.com/c/articles/27683486/evaluation-proposed-area-equation-improved-exothermic-process-control>
  46. Miller, G.P., Kintigh, J., Kim, E., Weck, P.F., Berber, S., Tománek, D., Hydrogenation of Single-Wall Carbon Nanotubes Using Polyamine Reagents: Combined Experimental and Theoretical Study, *J. Am. Chem. Soc.* 130, 2296 (2008). <http://pubs.acs.org/doi/abs/10.1021/ja0775366>
  47. Nagapriya, K.S., Berber, S., Cohen-Karni, T., Segev, L., Srur-Lavi, O., Tománek, D., Joselevich, E., "Diameter-dependent conductance oscillations in carbon nanotubes upon torsion," *Phys. Rev. B* 78, 165417 (2008).  
<http://journals.aps.org/prb/abstract/10.1103/PhysRevB.78.165417>
  48. Nemeč, N., Tománek, D. Cuniberti, G., "Modeling extended contacts to nanotube and grapheme devices," *Phys. Rev. B* 77, 125420 (2008).  
<http://journals.aps.org/prb/abstract/10.1103/PhysRevB.77.125420>
  49. Ok, Z.D., Benneyan, J.C., Isaacs, J.A., "Risk Analysis Modeling of Production Costs and Occupational Health Exposure of SWNT Manufacturing", *Journal of Industrial Ecology*, Special Issue in Nanotechnology, Vol. 12, Issue 3, 2008.  
<http://onlinelibrary.wiley.com/doi/10.1111/j.1530-9290.2008.00030.x/abstract>

50. Pfefferkorn, F.E., Bello, D., Haddad, G., Park, J.Y., Powell, M., McCarthy, J., Bunker, K.L., Fehrenbacher, A., Jeon, Y., Gruetzmacher, G., Hoover, M.D.: "Characterization of exposures to airborne nanoscale particles during friction stir welding of aluminum." Submitted to *Aerosol Sci & Tech*; 2009. <https://annhyg.oxfordjournals.org/content/54/5/486.full>
51. Raman, R.K., Murooka, Y., Ruan, C.Y., Yang, T., Berber, S., Tomanek, D., "Direct Observation of Optically Induced Transient Structures in Graphite Using Ultrafast Electron Crystallography," *Phys. Rev. Lett.* 101, 077401 (2008). <http://journals.aps.org/prl/abstract/10.1103/PhysRevLett.101.077401>
52. Rogers, E., Hsieh, S.F., Rao, N., Schmidt, D., Bello, D.: "A high throughput analytical approach to screen for oxidative stress potential exerted by nanomaterials in a biologically relevant matrix: human blood serum." *Tox in Vitro*, 22, 1639-47; 2008 <http://www.ncbi.nlm.nih.gov/pubmed/18593597>
53. Ryan, P.J., Adams, G.G., McGruer, N.E., "Modeling of a One-Sided Bonded and Rigid Constraint Using Beam Theory," *Journal of Applied Mechanics*, Vol. 75, 031008 (2008). <http://appliedmechanics.asmedigitalcollection.asme.org/mobile/article.aspx?articleid=1474261>
54. Selvarasah, S., Chao, S.H., Chen, C.-L., Sridhar, S., Busnaina, A., Khademhosseini, A., Dokmeci, M. R., "A Reusable High Aspect Ratio Parylene-C Shadow Mask Technology for Diverse Micropatterning Applications", *Sensors and Actuators A: Physical*, 145-46, 306, (2008).
55. Singh, J., Whitten, J.E., "Adsorption of 3-Mercaptopropyltrimethoxysilane on Silicon Oxide Surfaces and Adsorbate Interaction with Thermally Deposited Gold", *J. Phys. Chem. C*, 112, 19088-19096 (2008). <http://pubs.acs.org/doi/abs/10.1021/jp807536z>
56. Singh, J., Whitten, J.E., "Forces between Polymer Surfaces and Self-Assembled Monolayers", *J. Macromol. Sci. A*, 45, 885-892 (2008).
57. Shang, Y., Kazmer, D., Wei, M., Mead, J., Barry, C., "Numerical Simulation of Phase Separation of Immiscible Polymer Blends on a Heterogeneously Functionalized Substrate", *Journal of Chemical Physics*, 128, 22 (2008). <http://scitation.aip.org/content/aip/journal/jcp/128/22/10.1063/1.2924129>
58. Shang, Y., Kazmer, D., Wei, M., Mead, J., Barry, C., "Numerical Simulation of Phase Separation of a Polymer-polymer-solvent Ternary Blend on a Heterogeneously Functionalized Substrate", *Polymer Engineering and Science*, submitted. [https://www.researchgate.net/publication/228474242\\_Numerical\\_Simulation\\_of\\_the\\_Self-Assembly\\_of\\_a\\_Polymer-Polymer-Solvent\\_Ternary\\_System\\_on\\_a\\_Heterogeneously\\_Functionalized\\_Substrate](https://www.researchgate.net/publication/228474242_Numerical_Simulation_of_the_Self-Assembly_of_a_Polymer-Polymer-Solvent_Ternary_System_on_a_Heterogeneously_Functionalized_Substrate)
59. Shang, Y., Fang, L., Wei, M., Kazmer, D., Mead, J., Barry, C., "Verification of Numerical Simulation of the Self-assembly of a Polymer-polymer-solvent Ternary System on a Heterogeneously Functionalized Substrate", *Macromolecules*, submitted. [https://www.researchgate.net/publication/228474242\\_Numerical\\_Simulation\\_of\\_the\\_Self-Assembly\\_of\\_a\\_Polymer-Polymer-Solvent\\_Ternary\\_System\\_on\\_a\\_Heterogeneously\\_Functionalized\\_Substrate](https://www.researchgate.net/publication/228474242_Numerical_Simulation_of_the_Self-Assembly_of_a_Polymer-Polymer-Solvent_Ternary_System_on_a_Heterogeneously_Functionalized_Substrate)

60. Sok, D., Clarizia, L.J.A., Farris, L.R., McDonald, M.J. "Novel Fluoroimmunoassay for Ovarian Cancer Biomarker CA-125," *Anal Bioanal Chem* 393:1521–1523(2009).
61. Tsai, S., Ada, E., Isaacs, J., Ellenbecker, M.J., "Airborne Nanoparticle Exposures Associated with the Manual Handling of Nanoalumina in Fume Hoods," *J. Nanoparticle Res.*11(1): 147-161 (2009).  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4539248/>
62. Tsai, S., Ashter, A., Ada, E., Mead, J., Barry, C., Ellenbecker, M. J., "Control of Airborne Nanoparticle Release during Compounding of Polymer Nanocomposites," *NANO* 3(4): 1-9 (2008).
63. Tsai, S., Ashter, A., Ada, E., Mead, J., Barry, C., Ellenbecker, M. J., "Airborne Nanoparticle Release Associated with the Compounding of Nanocomposites using Nanoalumina as Fillers," *Aerosol and Air Quality Research* 8(2): 160-177 (2008). [http://s3.amazonaws.com/academia.edu.documents/31102211/4\\_AAQR-08-01-OA-0001\\_160-177.pdf?AWSAccessKeyId=AKIAJ56TQJRTWSMTNPEA&Expires=1456426617&Signature=6BWMEdCCPfofUTzppBXZKWbk9g%3D&response-content-disposition=inline%3B%20filename%3DAirborne\\_nanoparticle\\_release\\_associated.pdf](http://s3.amazonaws.com/academia.edu.documents/31102211/4_AAQR-08-01-OA-0001_160-177.pdf?AWSAccessKeyId=AKIAJ56TQJRTWSMTNPEA&Expires=1456426617&Signature=6BWMEdCCPfofUTzppBXZKWbk9g%3D&response-content-disposition=inline%3B%20filename%3DAirborne_nanoparticle_release_associated.pdf)
64. Wang, L., Nagesha, D. K., Selvarasah, S., Dokmeci, M. R., Carrier, R. L., "Toxicity of CdSe Nanoparticles in Caco-2 Cell Cultures", *Journal of Nanobiotechnology*, 6, doi:10.1186/1477-3155-6-11, (2008).  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2584022/>
65. Wei, M., Fang, L., Lee, J., Somu, S., Xiong, X., Barry, C., Busnaina, A., Mead, J., "Directed Assembly of Polymer Blends Using Nanopatterned Templates", *Advanced Materials*, 20, 1–5 (2008)  
<http://onlinelibrary.wiley.com/doi/10.1002/adma.200802052/full>
66. Wimmer, M., Adagideli, I., Berber, S., Tománek, D., Richter, K., "Spin transport in rough graphene nanoribbons," *Phys. Rev. Lett.* 100, 177207 (2008).  
<http://www.pa.msu.edu/cmp/csc/eprint/DT190.pdf>
67. Wright, D., Rajalingam, B., Karp, J. M., Selvarasah, S., Ling, Y., Yeh, J., Langer, R., Dokmeci, M. R., Khademhosseini, A., "Reusable, Reversibly Sealable Parylene Membranes for Cell and Protein Patterning", *Journal of Biomedical Materials Research A*, 85A, 530 (2008).  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2841044/>
68. Wu, J., Hahm, M.G., Jung, Y.J., Menon, L., "Epitaxially Grown GaN Nanowire Networks" *Journal of Materials Chemistry* (2009), 19, 463-467  
<http://pubs.rsc.org/en/content/articlehtml/2009/jm/b816064c>
69. Wu, Y.-C., Adams, G.G., "Plastic Yield Conditions for Adhesive Contacts Between a Rigid Sphere and an Elastic Half-Space," *Journal of Tribology*, Vol. 131, 011403 (2009).
70. Wu, Z., Hahm, M.G., Jung, Y.J., Menon, L., "Epitaxially Grown GaN Nanowire Networks", *Journal of Materials Chemistry*, 19, 463 (2009)  
<http://pubs.rsc.org/en/content/articlelanding/2009/jm/b816064c#!divAbstract>
71. Xiong, X., Busnaina, A., "Direct assembly of nanoparticles for large-scale fabrication of nanodevices and structures," *Journal of Nanoparticle Research*, Vol

- 10, 6, August, 2008, pp. 947-954.  
<http://link.springer.com/article/10.1007%2Fs11051-007-9351-2>
72. Yang, T.; Berber, S.; Liu, J.-F.; Miller, G. P.; Tomanek, D., "Self-assembly of long chain alkanes and their derivatives on graphite," *J. Chem. Phys.*, (2008), 128, 124709-1 – 124709-8. <http://www.pa.msu.edu/cmp/csc/eprint/DT192.pdf>
73. Yang, T., Berber, S., Tománek, D., "Compositional ordering and quantum transport in MoS<sub>2</sub>-xI<sub>x</sub> nanowires: Ab initio calculations," *Phys. Rev. B* 77, 165426 (2008). <http://www.pa.msu.edu/cmp/csc/eprint/DT195.pdf>
74. Yin, Y., Zhang, X., Graham, J., Luongo, L., "Impacts of purified single-walled carbon nanotubes on activated sludge process," *Journal of Environmental Science and Health*, A44 (7) (2009).
75. Yoon, S-H, Cha, N. G., Lee, J. S., Park, J. G., Carter D. J. Carter, Mead, J. L., and Barry, C. M. F., "Effect of Processing Parameters, Antistiction Coatings, and Polymer Type when Injection Molding Microfeatures", *Polymer Engineering and Science*, submitted, (2009).  
<http://onlinelibrary.wiley.com/doi/10.1002/pen.21541/abstract>