

**NANOSCIENCE AND ENGINEERING RESEARCH CENTER (NSEC)**



**Center for High-rate  
Nanomanufacturing**

**2010-2011 ANNUAL REPORT – YEAR 7**

**NSF CENTER FOR HIGH-RATE NANOMANUFACTURING**



Northeastern University

University of Massachusetts Lowell

University of New Hampshire

Michigan State University

**NSF Award# 0832785**

1. Adams, G.G., and McGruer, N.E., "A Review of Adhesion in an Ohmic Microswitch," *Journal of Adhesion Science and Technology*, Vol. 24, 2010, pp. 2571–2595. <http://www.tandfonline.com/doi/abs/10.1163/016942410X508154>
2. Agarwal, J., Johnson, R.P., Li, G., "Reduction of CO<sub>2</sub> on a Tricarbonyl Rhenium(I) Complex: Modeling a Catalytic Cycle", *J. Phys. Chem. A*, 2011, 115 (13), pp 2877-2881. <http://www.ncbi.nlm.nih.gov/pubmed/21410231>
3. Ashter, A., Tsai, S., Lee, J.S., Ellenbecker, M., Mead, J. and Barry, C., "Effects of nanoparticle feed location during nanocomposite compounding." *Polymer Eng and Sci J* 50(1):154-64, 2009. <http://onlinelibrary.wiley.com/doi/10.1002/pen.21499/abstract>
4. Boustani, I., Zhu, Z., and Tománek, D., Search for the largest 2D aggregates of boron: An ab initio study, *Phys. Rev. B* (2011 – in press). <http://journals.aps.org/prb/abstract/10.1103/PhysRevB.83.193405>
5. Chen, C.-L., Yang, C.-F., Agarwal, V., Kim, T., Sonkusale, S., Busnaina, A., Chen, M., and Dokmeci, M.R., "DNA-Decorated Carbon-Nanotube-based Chemical Sensors on Complementary Metal Oxide Semiconductor Technology," *Nanotechnology*, 21, pp. 095504, July 2010.
6. Chen, C.-L., Yang, C.-F., Agarwal, V., Kim, T., Sonkusale, S., Busnaina, A., Chen, M., and Dokmeci, M.R. "DNA-decorated Carbon-Nanotube-Based Chemical Sensors On Complementary Metal Oxide Semiconductor Circuitry," *Nanotechnology* 21 (2010) 095504 (8pp). doi: 10.1088/0957-4484/21/9/095504 <http://www.ncbi.nlm.nih.gov/pubmed/20139486>
7. Cherchi, C., Chernenko, T., Diem, M., Gu, A. Z., "Impact of nTiO<sub>2</sub> Exposure on Nitrogen Fixing Algae *Anabaena variabilis*," *Environ. Sci. Technol.*, (2010) (in preparation) [https://www.researchgate.net/publication/49708151\\_Impact\\_of\\_nano\\_titanium\\_dioxide\\_exposure\\_on\\_cellular\\_structure\\_of\\_Anabaena\\_variabilis\\_and\\_evidence\\_of\\_internalization](https://www.researchgate.net/publication/49708151_Impact_of_nano_titanium_dioxide_exposure_on_cellular_structure_of_Anabaena_variabilis_and_evidence_of_internalization)
8. Cherchi C., Chernenko T., Diem M., Gu A.Z., "Impact of nTiO<sub>2</sub> Exposure on Cellular Structure of *Anabaena variabilis* and Evidence of Internalization". *Environmental Toxicology and Chemistry* (DOI: 10.1002/etc.445), 2010.
9. Cherchi C., Gu A.Z. "Impact of Titanium Dioxide Nanomaterials on Nitrogen Fixation Rate and Intracellular Nitrogen Storage in *Anabaena variabilis*". *Environ. Sci. Technol.*, 44, 8302-8307, 2010. <http://pubs.acs.org/doi/abs/10.1021/es101658p>
10. Chiota, J., Shearer, J., Wei, M., Barry, C., and Mead, J., "Multiscale Directed Assembly of Polymer Blends Using Chemically Functionalized Nanoscale-Patterned Templates," *Small*, Vol. 5, No. 24, pp.2788-2791 (2009) <http://onlinelibrary.wiley.com/doi/10.1002/sml.200901530/abstract>
11. Choi, J.-G., Prasad, Y. N., Kim, I.-K., Kim, I.G., Kim, W.J., Busnain, A. ., Park, J.G. "Analysis of Scratches Formed on Oxide Surface during Chemical Mechanical Planarization", *Journal of The Electrochemical Society*, 157 (2) H186-H191 (2010) <http://jes.ecsdl.org/content/157/2/H186.short>
12. Choi, J.-G., Prasad, Y. N., Kim, I.-K., Kim, W.-J., Park, J.-G., "The Synergetic Role of Pores and Grooves of the Pad on the Scratch Formation during STI

- CMP", Journal of The Electrochemical Society, 157 (8) H806-H809 (2010)  
<http://jes.ecsdl.org/content/157/8/H806.abstract>
13. Chourb, S., Mackness, B.C., Farris, L.R., McDonald, M.J., Enhanced Immuno-Detection of Shed Extracellular Domain of HER-2/neu; HEALTH 1:325-329; 2009 <http://www.scirp.org/journal/PaperInformation.aspx?PaperID=1126>
  14. Chung, Y., Murmann, B., Selvarasah, S., Dokmeci, M. R., and Bao, Z., "Low-voltage and Short-channel Pentacene Field-Effect Transistors with Top-contact Geometry using Parylene-C Shadow Masks," Applied Physics Letters, vol. 96, 133306, 2010.  
<http://scitation.aip.org/content/aip/journal/apl/96/13/10.1063/1.3336009>
  15. Dempsey, D., Beaudoin, B., Yoon, S. , Lee, J. , Johnston, S. , Mead, J., Barry, C. "Gas Channel Design for Gas Assisted Micro Injection Molding," Proc. Ann. Tech. Conf. Soc. Plast. Eng., Orlando, FL, May 18-20, 2010, pp. 2155-2159.
  16. Duchamp, M., Meunier, R., Smajda, R., Mionic, M., Magrez, A., Seo, J.W., Forró, L., Song, B., and Tománek, D., Reinforcing Multi-Wall Carbon Nanotubes by Electron Beam Irradiation, J. Appl. Phys. 108, 084314 (2010).  
[https://www.researchgate.net/publication/234844693\\_Reinforcing\\_multiwall\\_carbon\\_nanotubes\\_by\\_electron\\_beam\\_irradiation](https://www.researchgate.net/publication/234844693_Reinforcing_multiwall_carbon_nanotubes_by_electron_beam_irradiation)
  17. Fang, L. , Wei, M., Barry, C., and Mead, J. "Effect of Spin Speed and Solution Concentration on the Directed Assembly of Polymer Blends", Macromolecules, 2010, 43 (23), pp 9747–9753 <http://pubs.acs.org/doi/abs/10.1021/ma1017082>
  18. Gou, N., Onnis-Hayden, A., Gu, A.Z., "Mechanistic Toxicity Evaluation of Nanomaterials via Prokaryotic Gene Expression Profiling," Environ. Sci. Technol., (2010), (under review).
  19. Gou, N., Onnis-Hayden, A., Gu, A.Z., "Mechanistic Toxicity Evaluation of Nanomaterials via Whole-Cell-Array Stress Gene expression Analysis." Environ. Sci. Technol, 44(15): 5964-5970, 2010.  
[https://www.researchgate.net/publication/44850606\\_Mechanistic\\_Toxicity\\_Assessment\\_of\\_Nanomaterials\\_by\\_Whole-Cell-Array\\_Stress\\_Genes\\_Expression\\_Analysis](https://www.researchgate.net/publication/44850606_Mechanistic_Toxicity_Assessment_of_Nanomaterials_by_Whole-Cell-Array_Stress_Genes_Expression_Analysis)
  20. Hahm, M.G., Kwon, Y., Busnaina A. and Jung, Y. J., "Structure Controlled Synthesis of Vertically Aligned Carbon Nanotubes using Thermal Chemical Vapor Deposition Process," Journal of Heat Transfer, 2010  
[https://www.researchgate.net/publication/232262407\\_Structure\\_Controlled\\_Synthesis\\_of\\_Vertically\\_Aligned\\_Carbon\\_Nanotubes\\_Using\\_Thermal\\_Chemical\\_Vapor\\_Deposition\\_Process](https://www.researchgate.net/publication/232262407_Structure_Controlled_Synthesis_of_Vertically_Aligned_Carbon_Nanotubes_Using_Thermal_Chemical_Vapor_Deposition_Process)
  21. Hu, S., Kim, T. H., Park, J. G., Busnaina, A., "Effect of Different Deposition Mediums on the Adhesion and Removal of Particles", Journal of The Electrochemical Society, 157 (6) H662-H665 (2010)  
<http://jes.ecsdl.org/content/157/6/H662.short>
  22. Isaacs, J. A., Tanwani, A., Healy, M., Dahlben, L. J., "Economic Assessment of Single-Walled Carbon Nanotube Processes", Journal of Nanoparticle Research, 2010, 12(2): 551-562. DOI 10.1007/s11051-009-9673-3.  
[https://www.researchgate.net/publication/226484005\\_Economic\\_assessment\\_of\\_single-walled\\_carbon\\_nanotube\\_processes](https://www.researchgate.net/publication/226484005_Economic_assessment_of_single-walled_carbon_nanotube_processes)

23. Kang, Y.-J., Prasad, Y.-N., Kim, I.-K., Jung, S.-J., Park, J.-G. "Synthesis of Fe metal precipitated colloidal silica and its application to W chemical mechanical polishing (CMP) slurry", *Journal of Colloid and Interface Science* 349 (2010) 402–407 <http://europepmc.org/abstract/MED/20546766>
24. Kang, S-H., Kwon, Y-K., and Tománek, D., Effect of bundling on the stability, equilibrium geometry and electronic structure of Mo6S9-xIx nanowires, *Phys. Rev. B* 82, 205427 (2010). <http://www.pa.msu.edu/cmp/csc/eprint/DT206.pdf>
25. Kang, S-H., Kwon, Y-K., and Tománek, D., Interplay between structural and electronic properties of bundled Mo6S9-xIx nanowires, *J. Phys.: Condens. Matter* 22, 505301 (2010). <http://iopscience.iop.org/article/10.1088/0953-8984/22/50/505301>
26. Karimi, P., Kim, T., Aceros, J., Park, J.-G., Busnaina, A.A., "The removal of nanoparticles from sub-micron trenches using megasonics", *Microelectronic Engineering* 87 (2010) 1665–1668 [https://www.researchgate.net/publication/245130215\\_The\\_removal\\_of\\_nanoparticles\\_from\\_sub-micron\\_trenches\\_using\\_megasonics](https://www.researchgate.net/publication/245130215_The_removal_of_nanoparticles_from_sub-micron_trenches_using_megasonics)
27. Kim, T.-G., Wostyn, K., Mertens, P.W., Busnaina, A.A., Park, J.-G. "Collapse behavior and forces of multistack nanolines", *Nanotechnology*, 21, 015708 (2010) <http://www.ncbi.nlm.nih.gov/pubmed/19946167>
28. Kim, Y, Yoon, Y, Lee, J, Johnston, S, Mead, J, Barry, C. "Performance of Hybrid Tooling in Micro Injection Molding," *Proc. Ann. Tech. Conf. Soc. Plast. Eng.*, Orlando, FL, May 18-20, 2010, pp. 2143-2147.
29. Kumar, A., Wei, W., Barry, C., Chen, J., Mead, J., "Controlling Fiber Repulsion in Multi-Jet Electrospinning for Higher Throughput", *Macromol. Mater. Eng.* 2010, 295, 701–708 <http://onlinelibrary.wiley.com/doi/10.1002/mame.200900425/abstract>
30. Liberman, V., Yilmaz, C., Bloomstein, T. M., Somu, S., Echegoyen, Y., Busnaina, A., Cann, S. G., Krohn, K. E., Marchant, M. F. and Rothschild, M., "A Nanoparticle Convective Directed Assembly Process for the Fabrication of Periodic Surface Enhanced Raman Spectroscopy Substrates," *Advanced Materials*, Volume 22, Issue 38, pages 4298–4302, October 8, 2010 <http://onlinelibrary.wiley.com/doi/10.1002/adma.201001670/abstract>
31. Liu, X., MacNaughton, S., Shrekenhamer, D. B., Tao, H., Selvarasah, S., Totachawattana, A., Averitt, R. D., Dokmeci, M.R., Sonkusale, S., and Padilla, M.J., "Metamaterials on parylene thin film substrates: Design, Fabrication and Characterization at THz frequency," *Applied Physics Letters*, vol. 96, 011906, 2010. <http://www.ece.neu.edu/fac-ece/mehmetd/publication/APL%20MetaM.pdf>
32. Luongo, L., Zhang, X., "Toxicity of Carbon Nanotubes to the Activated Sludge Process, *J. of Hazardous Materials*", 178 (1-3), 356-362 (2010) <http://www.sciencedirect.com/science/article/pii/S0304389410001238>
33. Mackness, B.C., Chourb, S., Farris, L.R., McDonald, M.J., Polymer-protein Enhanced Fluoroimmunoassay for Prostate-specific Antigen. *Anal Bioanal Chem.* 396: 681–686; 2010 <http://www.pubfacts.com/detail/19898818/Polymer-protein-enhanced-fluoroimmunoassay-for-prostate-specific-antigen>
34. Mackness, B.C., McDonald, M.J., Serum-based ALYGNSA immunoassay for the prostate cancer biomarker, total prostate-specific antigen (tPSA). *Anal Bioanal Chem.*

- Chem. 397: 3151–3154; 2010  
<http://link.springer.com/article/10.1007%2Fs00216-010-3827-0>
35. Majidi, C.S., and Adams, G.G., “Adhesion Boundary Conditions for Dissimilar Elastic Plates With Arbitrary Contact Shape,” *Mechanics Research Communications*, Vol. 37, 2010, pp. 214–218.  
<http://www.sciencedirect.com/science/article/pii/S0093641310000030>
  36. Miyamoto, Y., Zhang, H., and Tománek, D., Photo-exfoliation of graphene from graphite: An ab initio study, *Phys. Rev. Lett.* 104, 208302 (2010)  
<http://journals.aps.org/prl/abstract/10.1103/PhysRevLett.104.208302>
  37. Modi, S., Wei, M., Mead, J., and Barry, C., Effect of Processing Parameters on the Electrophoretic Deposition of Carbon Black Nanoparticles in Moderately Viscous Systems, *Langmuir*, 2011, 27 (6), pp 3166–3173  
<http://pubs.acs.org/doi/abs/10.1021/la1043359>
  38. Park, S., Kittimanapun, K., Ahn, J.-S., Kwon, Y.-K., and Tománek, D., Designing rigid carbon foams, *J. Phys.: Condens. Matter* 22, 334220 (2010).  
<http://iopscience.iop.org/article/10.1088/0953-8984/22/33/334220>
  39. Sandler, R., “Genetically Modified Foods,” in Guston, D., *Encyclopedia of Nanoscience and Society*, SAGE, 2010.  
<http://sk.sagepub.com/reference/nanoscience/n147.xml?PageNum=277>
  40. Sandler, R., “GM Food and Nanotechnology,” in Cutter, A. M. and Gordijn, B., eds., *In Pursuit of Nanoethics: Transatlantic Reflections on Nanotechnology* (Springer, in press) <http://www.springer.com/us/book/9781402068164>
  41. Sandler, R., “Nanoethics,” in Guston, D., ed., *Encyclopedia of Nanoscience and Society*, SAGE, 2010. <https://us.sagepub.com/en-us/nam/encyclopedia-of-nanoscience-and-society/book233289>
  42. Sandler, R., “Nanomedicine, Ethical Issues,” in Guston, D., ed., *Encyclopedia of Nanoscience and Society*, SAGE, 2010.
  43. Sandler, R., “Value Sensitive Design and Nanotechnology,” in Scott, D. and Preston, C, eds., *Debating Science: Deliberation, Values, and the Common good* (in press).
  44. Selvarasah, S., Busnaina, A. and Dokmeci, M. R., "Parylene-C Passivated Carbon Nanotube Flexible Transistors," *Applied Physics Letters*, vol. 97, 153120, 2010.  
<http://scitation.aip.org/content/aip/journal/apl/97/15/10.1063/1.3499758>
  45. Seo, J., Kim, J.Y., Lim, H.W., Park, J.-G., "Fabrication and Characterization of a 32 × 32 Array Digital Si-PIN X-ray Detector for a Single Photon Counting Image Sensor", *Journal of the Korean Physical Society*, Vol. 57, No. 1, July 2010, pp. 44-50  
[http://www.kps.or.kr/home/kor/journal/library/abstract\\_view.asp?articleid={A0E451C8-FC48-497B-A26E-7B70ADF4775C}](http://www.kps.or.kr/home/kor/journal/library/abstract_view.asp?articleid={A0E451C8-FC48-497B-A26E-7B70ADF4775C})
  46. Selvarasah, S., Busnaina, A. and Dokmeci, M. R. "Parylene-C Passivated Carbon Nanotube Flexible Transistors," *Applied Physics Letters*, vol. 97, 153120, 2010.  
<http://www.ece.neu.edu/fac-ece/mehmetd/publication/APL%20passivation.pdf>
  47. Shang, Y., Fang, L., Wei, M., Kazmer, D., Mead, J., and Barry, C., “Verification of Numerical Simulation of the Self-assembly of a Polymer-polymer-solvent Ternary System on a Heterogeneously Functionalized Substrate”, accepted to

- Polymer, 2011.  
<http://www.sciencedirect.com/science/article/pii/S0032386111000589>
48. Shang, Y., Kazmer, D., Wei, M., Mead, J., and Barry, C., "Numerical Simulation of Phase Separation of a Polymer-polymer-solvent Ternary Blend on a Heterogeneously Functionalized Substrate", *Polymer Engineering and Science*, DOI: 10.1002/pen.21762, v. 50, n. 12, p. 2329-2339, 2010.
  49. Singh, J., and Whitten, J.E., "Directed Adhesion and Patterning by Ultraviolet Irradiation of TiO<sub>2</sub>(110)", *Langmuir*, 26, 17795-17797 (2010).  
<http://pubs.acs.org/doi/abs/10.1021/la103174f>
  50. Sok, D., Clarizia, L.J.A., Farris, L.R., McDonald, M.J., Novel Fluoroimmunoassay for Ovarian Cancer Biomarker CA-125. *Anal Bioanal Chem* 393:1521–1523; 2009
  51. Somu, S., Wang, H., Kim, Y., Jaberansari, L.H., Myung G., Li, B., Kim, T., Xiong, X., Jung, Y.J., Upmanyu, M. and Busnaina, A., "Topological Transitions in Carbon Nanotube Networks via Nanoscale Confinement," *ACS Nano*, 4, 4142-4148 (2010).
  52. Tománek, D., Calling to Be Your Best: Your Calling to Science. Invited "Opinion" contribution, *Mater. Express* 1, 1 (2011).  
<http://www.pa.msu.edu/cmp/csc/eprint/DT209.pdf>
  53. Tsai, S.J., Ada, E., Isaacs, J., Ellenbecker, M.J., "Airborne nanoparticle exposures associated with the manual handling of nanoalumina in fume hoods", *J Nanopart Res* 11(1):147-61, 2009. <http://www.ncbi.nlm.nih.gov/pubmed/19933309>
  54. Tsai, S.J., Hofmann, M., Hallock, M., Ada, E., Kong, J., Ellenbecker, M.J., "Characterization and evaluation of nanoparticle release during the synthesis of single-walled and multi-walled carbon nanotubes by chemical vapor deposition." *Env Sci Technol* 43(15):6017-23, 2009.  
[https://www.researchgate.net/publication/26790827\\_Characterization\\_and\\_Evaluation\\_of\\_Nanoparticle\\_Release\\_during\\_the\\_Synthesis\\_of\\_Single-Walled\\_and\\_Multiwalled\\_Carbon\\_Nanotubes\\_by\\_Chemical\\_Vapor\\_Deposition](https://www.researchgate.net/publication/26790827_Characterization_and_Evaluation_of_Nanoparticle_Release_during_the_Synthesis_of_Single-Walled_and_Multiwalled_Carbon_Nanotubes_by_Chemical_Vapor_Deposition)
  55. Tsai, S.J., Huang, R.F., Ellenbecker, M.J., "Airborne nanoparticle exposures while using constant-flow, constant-velocity and air-curtain isolated fume hoods", *Ann Occ Hyg* <http://www.ncbi.nlm.nih.gov/pubmed/19933309>
  56. Wang, J., Kaur, I., Diaconescu, B., Tang, J.-M., Miller, G.P., Pohl, K., "Highly Ordered Assembly of Single-Domain Dichloropentacene over Large Areas on Vicinal Gold Surfaces," *ACS Nano* 5, 1792 (2011).  
<http://pubs.acs.org/doi/abs/10.1021/nn102468p>
  57. Weck, P., Kim, E., Czerwinski, K.R., and Tománek, D., Structural and Magnetic Properties of Tcn@C<sub>60</sub> Endohedral Metalofullerenes: First-Principles Predictions, *Phys. Rev. B* 81, 125448 (2010).  
<http://journals.aps.org/prb/pdf/10.1103/PhysRevB.81.125448>
  58. Wei, M., Murphy, D.Q., Barry, C. and Mead, J., "Halogen-free Flame Retardants for Wire and Cable Applications", *Rubber Chem. Technol.*, 2010, 83, pp 282  
<http://rubberchemtechnol.org/doi/abs/10.5254/1.3525686>
  59. Widom, A., Somu, S., Vittoria, C., Yoon, S., and Srivastava, Y.N., "Resonance Damping in Ferromagnets and Ferroelectrics", *Phys. Rev B*. 81, 212402 (2010).  
<http://journals.aps.org/prb/abstract/10.1103/PhysRevB.81.212402>



60. Yang, Y., Jamison, A.C., Barriet, D., Lee, T.R., Ruths, M., "Odd–even effects in the friction of self-assembled monolayers of phenyl-terminated alkanethiols in contacts of different adhesive strength", *Journal of Adhesion Science and Technology*, 24 (2010) 2511–2529 (Invited Article in Special Issue on Adhesion in MEMS/NEMS).  
[http://lee.chem.uh.edu/2010/Adhesion%20Science%20and%20Technology%20\(2010\),%2024\(15-16\),%202511.pdf](http://lee.chem.uh.edu/2010/Adhesion%20Science%20and%20Technology%20(2010),%2024(15-16),%202511.pdf)
61. Yilmaz, C., Kim, T-H., Somu, S., and Busnaina, A.A., "Large-Scale Nanorods Nanomanufacturing by Electric-Field-Directed Assembly for Nanoscale Device Applications," *IEEE Transactions on Nanotechnology*, VOL. 9, NO. 5, September 2010, pp.653-658.  
[http://ieeexplore.ieee.org/xpl/tocresult.jsp?asf\\_arn=null&asf\\_iid=5565401&asf\\_pun=null&asf\\_in=null&asf\\_rpp=%20null&asf\\_iv=null&asf\\_sp=null&asf\\_pn=3](http://ieeexplore.ieee.org/xpl/tocresult.jsp?asf_arn=null&asf_iid=5565401&asf_pun=null&asf_in=null&asf_rpp=%20null&asf_iv=null&asf_sp=null&asf_pn=3)
62. Yoo, Y.-S., Kim, C.S., Park, Y.S, Sim, W.-C., Park, C., Joung, J., Park, J.-G., Oh, Y., "Numerical and Experimental Evaluation of Picoliter Inkjet Head for Micropatterning of Printed Electronics", *Japanese Journal of Applied Physics* 49 (2010) 05EC11 <http://iopscience.iop.org/article/10.1143/JJAP.49.05EC11/meta>
63. Yoon, S.-H., Cha, N.-G., Lee, J., Park, J.-G.; Carter, D., Mead, J., Barry, C., "Effect of Processing Parameters, Antistatic Coatings and Polymer Type with Injection Molding", *Polymer Engineering and Science*, Vol.50 ( 2), 411-419 (2010)  
<http://search.proquest.com/openview/9f377f804306601ed504471eba3ed5a1/1?pq-origsite=gscholar>
64. Yoon, S-H., Padmanabha, P., Cha, N., Mead, J., Barry, C., "Evaluation of Vacuum venting for Micro-Injection Molding" , *International Polymer Processing*, accepted (2011). <http://www.hanser-elibrary.com/doi/abs/10.3139/217.2308>
65. Zong, Z., Chen, C.-L., Dokmeci, M. R., and Wan, K.-T., "Direct Measurement of Graphene Adhesion on Silicon Surface by Intercalation of Nano-Particles," *Journal of Applied Physics*, vol. 107, 026104, 2010.